


Patent Claims

1. Compositions, comprising compounds of the formula (I)




in which

- 5 X represents C₁-C₆-alkyl, bromine, C₁-C₆-alkoxy or C₁-C₃-haloalkyl,
- Y represents hydrogen, C₁-C₆-alkyl, halogen, C₁-C₆-alkoxy, C₁-C₃-haloalkyl,
- Z represents C₁-C₆-alkyl, halogen, C₁-C₆-alkoxy,
- n represents a number from 0 to 3,
- 10 A represents hydrogen or in each case optionally halogen-substituted straight-chain or branched C₁-C₁₂-alkyl, C₂-C₈-alkenyl, C₂-C₈-alkynyl, C₁-C₁₀-alkoxy-C₁-C₈-alkyl, C₁-C₈-polyalkoxy-C₂-C₈-alkyl, C₁-C₁₀-alkylthio-C₂-C₈-alkyl, cycloalkyl having 3 to 8 ring atoms which may be interrupted by oxygen and/or sulphur or represents in each case optionally halogen-, C₁-C₆-alkyl-, C₁-C₆-haloalkyl-, C₁-C₆-alkoxy-, C₁-C₆-haloalkoxy-, nitro-substituted phenyl or phenyl-C₁-C₆-alkyl,
- 15 B represents hydrogen, C₁-C₆-alkyl or C₁-C₆-alkoxy-C₁-C₄-alkyl

or in which

- 20 A and B together with the carbon atom to which they are attached form a saturated or unsaturated 3- to 8-membered ring which is optionally interrupted by oxygen and/or sulphur and optionally substituted by halogen, C₁-C₆-alkyl, C₁-C₆-alkoxy, C₁-C₄-haloalkyl, C₁-C₄-haloalkoxy, C₁-C₄-alkylthio or optionally substituted phenyl or is optionally benzofused,
- G represents hydrogen (a) or represents a group




in which

- 5 R^1 represents in each case optionally halogen-substituted C_1 - C_{20} -alkyl, C_2 - C_{20} -alkenyl, C_1 - C_8 -alkoxy- C_1 - C_8 -alkyl, C_1 - C_8 -alkylthio- C_1 - C_8 -alkyl, C_1 - C_8 -polyalkoxy- C_2 - C_8 -alkyl or cycloalkyl having 3 to 8 ring atoms which may be interrupted by oxygen and/or sulphur atoms,
- 10 represents optionally halogen-, nitro-, C_1 - C_6 -alkyl-, C_1 - C_6 -alkoxy-, C_1 - C_6 -haloalkyl-, C_1 - C_6 -haloalkoxy-substituted phenyl;
- represents optionally halogen-, C_1 - C_6 -alkyl-, C_1 - C_6 -alkoxy-, C_1 - C_6 -haloalkyl-, C_1 - C_6 -haloalkoxy-substituted phenyl- C_1 - C_6 -alkyl,
- represents in each case optionally halogen- and/or C_1 - C_6 -alkyl-substituted pyridyl, pyrimidyl, thiazolyl or pyrazolyl,
- represents optionally halogen- and/or C_1 - C_6 -alkyl-substituted phenoxy- C_1 - C_6 -alkyl,
- 15 R^2 represents in each case optionally halogen-substituted C_1 - C_{20} -alkyl, C_2 - C_{20} -alkenyl, C_1 - C_8 -alkoxy- C_2 - C_8 -alkyl or C_1 - C_8 -polyalkoxy- C_2 - C_8 -alkyl,
- represents in each case optionally halogen-, nitro-, C_1 - C_6 -alkyl-, C_1 - C_6 -alkoxy-, C_1 - C_6 -haloalkyl-substituted phenyl or benzyl,
- 20 R^3 represents optionally halogen-substituted C_1 - C_8 -alkyl, represents in each case optionally C_1 - C_4 -alkyl-, halogen-, C_1 - C_4 -haloalkyl-, C_1 - C_4 -alkoxy-, C_1 - C_4 -haloalkoxy-, nitro- or cyano-substituted phenyl or benzyl,
- 25 R^4 and R^5 independently of one another represent in each case optionally halogen-substituted C_1 - C_8 -alkyl, C_1 - C_8 -alkoxy, C_1 - C_8 -alkylamino, di- $(C_1$ - $C_8)$ alkylamino, C_1 - C_8 -alkylthio, C_2 - C_5 -alkenylthio, C_2 - C_5 -alkynylthio, C_3 - C_7 -cycloalkylthio, represent in each case optionally halogen-, nitro-, cyano-, C_1 - C_4 -alkoxy-, C_1 - C_4 -

haloalkoxy-, C₁-C₄-alkylthio-, C₁-C₄-haloalkylthio-, C₁-C₄-alkyl-, C₁-C₄-haloalkyl-substituted phenyl, phenoxy or phenylthio,

5 R⁶ and R⁷ independently of one another represent in each case optionally halogen-substituted C₁-C₁₀-alkyl, C₁-C₁₀-alkoxy, C₃-C₈-alkenyl, C₁-C₈-alkoxy-C₁-C₈-alkyl, represent optionally halogen-, C₁-C₆-haloalkyl-, C₁-C₆-alkyl- or C₁-C₆-alkoxy-substituted phenyl, represent optionally halogen-, C₁-C₆-alkyl-, C₁-C₆-haloalkyl- or C₁-C₆-alkoxy-substituted benzyl or together represent a 5- or 6-membered ring which is optionally interrupted by oxygen or sulphur and which may optionally be substituted by C₁-C₆-alkyl,


10 and at least one phthalic diamide of the formula (II)



in which

K represents halogen, cyano, alkyl, haloalkyl, alkoxy or haloalkoxy,


15 Re¹, Re², Re³ each independently of one another represent hydrogen, cyano, represent optionally halogen-substituted C₃-C₈-cycloalkyl or represent a group of the formula



in which

M¹ represents optionally substituted alkylene, alkenylene or alkynylene,

20 Q represents hydrogen, halogen, cyano, nitro, haloalkyl, in each case optionally substituted C₃-C₈-cycloalkyl, alkylcarbonyl or alkoxycarbonyl, in each case optionally substituted phenyl, hetaryl or represents a group



in which

T represents $-O-$, $-S(O)_m-$ or $\begin{array}{c} \text{---N---} \\ | \\ \text{Re}^5 \end{array}$,

Re^4 represents hydrogen, in each case optionally substituted alkyl, alkenyl, alkynyl, cycloalkyl, cycloalkylalkyl, alkoxyalkyl, alkylcarbonyl, alkoxy carbonyl, phenyl, phenylalkyl, phenylalkoxy, hetaryl, hetarylalkyl,

5 Re^5 represents hydrogen, represents in each case optionally substituted alkylcarbonyl, alkoxy carbonyl, phenylcarbonyl or phenylalkoxy carbonyl,


k represents the numbers 1 to 4,

m represents the numbers 0 to 2,

10 Re^1 and Re^2 together form an optionally substituted four- to seven-membered ring which may optionally be interrupted by heteroatoms,

L^1 and L^3 independently of one another represent hydrogen, halogen, cyano or in each case optionally substituted alkyl, alkoxy, alk-S(O)_m- , phenyl, phenoxy or hetaryloxy,

15 L^2 represents hydrogen, halogen, cyano, in each case optionally substituted alkyl, alkenyl, alkynyl, haloalkyl, cycloalkyl, phenyl, hetaryl or represents the group



in which

M^2 represents $-O-$ or $-S(O)_m-$,

and

20 Re^6 represents in each case optionally substituted alkyl, alkenyl, alkynyl, cycloalkyl, phenyl or hetaryl,

L^1 and L^3 or


L^1 and L^2 together form an optionally substituted five- or six-membered ring which may optionally be interrupted by heteroatoms.

25 2. Compositions according to Claim 1, comprising compounds of the formula (II)

in which

K represents fluorine, chlorine, bromine, iodine, cyano, C₁-C₆-alkyl, C₁-C₆-haloalkyl, C₁-C₆-alkoxy or C₁-C₆-haloalkoxy,

5 Re¹, Re² and Re³ each independently of one another represent hydrogen, cyano, represent optionally halogen-substituted C₃-C₆-cycloalkyl or represent a group of the formula



in which

M¹ represents C₁-C₈-alkylene, C₃-C₆-alkenylene or C₃-C₆-alkynylene,

10 Q represents hydrogen, halogen, cyano, nitro, haloalkyl or represents optionally fluorine-, chlorine-, C₁-C₆-alkyl- or C₁-C₆-alkoxy-substituted C₃-C₈-cycloalkyl in which optionally one or two not directly adjacent ring members are replaced by oxygen and/or sulphur or represents in each case optionally halogen-substituted C₁-C₆-alkylcarbonyl or C₁-C₆-alkoxycarbonyl or represents in each case
15 optionally halogen-, C₁-C₆-alkyl-, C₁-C₆-haloalkyl-, C₁-C₆-alkoxy-, C₁-C₆-haloalkoxy-, cyano- or nitro-substituted phenyl or hetaryl having 5 or 6 ring atoms (for example furanyl, pyridyl, imidazolyl, triazolyl, pyrazolyl, pyrimidyl, thiazolyl or thienyl) or represents a group



20 in which

T represents -O-, -S(O)_m- or $\begin{array}{c} \text{---N---} \\ | \\ \text{Re}^5 \end{array}$,

Re⁴ represents hydrogen, represents in each case optionally fluorine- and/or chlorine-substituted C₁-C₈-alkyl, C₃-C₈-alkenyl, C₃-C₈-alkynyl, C₃-C₈-cycloalkyl, C₃-C₈-cycloalkyl-C₁-C₂-alkyl, C₁-C₆-alkylcarbonyl, C₁-C₆-alkoxycarbonyl,
25 represents phenyl, C₁-C₄-phenylalkyl, C₁-C₄-phenylalkyloxy, hetaryl or hetaryl-alkyl, hetaryl having 5 or 6 ring atoms, each of which radicals is optionally mono- to tetrasubstituted by halogen, C₁-C₆-alkyl, C₁-C₆-alkoxy, C₁-C₄-haloalkyl, C₁-C₄-haloalkoxy, nitro or cyano,

- 5 Re^5 represents hydrogen, represents in each case optionally fluorine- and/or chlorine-substituted $\text{C}_1\text{-C}_6\text{-alkylcarbonyl}$, $\text{C}_1\text{-C}_6\text{-alkoxycarbonyl}$, represents phenylcarbonyl or phenyl- $\text{C}_1\text{-C}_4\text{-alkyloxycarbonyl}$, each of which is optionally mono- to tetrasubstituted by halogen, $\text{C}_1\text{-C}_6\text{-alkyl}$, $\text{C}_1\text{-C}_6\text{-alkoxy}$, $\text{C}_1\text{-C}_4\text{-haloalkyl}$, $\text{C}_1\text{-C}_4\text{-haloalkoxy}$, nitro or cyano,
- k represents the numbers 1 to 3,
- m represents the numbers 0 to 2,
- Re^1 and Re^2 form a five- or six-membered ring which may optionally be interrupted by an oxygen or sulphur atom,
- 10 L^1 and L^3 independently of one another represents hydrogen, cyano, fluorine, chlorine, bromine, iodine, $\text{C}_1\text{-C}_6\text{-alkyl}$, $\text{C}_1\text{-C}_4\text{-haloalkyl}$, $\text{C}_1\text{-C}_6\text{-alkoxy}$, $\text{C}_1\text{-C}_4\text{-haloalkoxy}$, $\text{C}_1\text{-C}_4\text{-alkyl-S(O)}_m^-$, $\text{C}_1\text{-C}_4\text{-haloalkyl-S(O)}_m^-$, represent phenyl, phenoxy, pyridinyloxy, thiazolyloxy or pyrimidyloxy, each of which is optionally mono- to trisubstituted by fluorine, chlorine, bromine, $\text{C}_1\text{-C}_6\text{-alkyl}$, $\text{C}_1\text{-C}_6\text{-alkoxy}$, $\text{C}_1\text{-C}_4\text{-haloalkyl}$, $\text{C}_1\text{-C}_4\text{-haloalkoxy}$, cyano or nitro,
- 15 L^2 represents hydrogen, fluorine, chlorine, bromine, iodine, cyano, represents in each case optionally fluorine- and/or chlorine-substituted $\text{C}_1\text{-C}_{10}\text{-alkyl}$, $\text{C}_2\text{-C}_{10}\text{-alkenyl}$, $\text{C}_2\text{-C}_6\text{-alkynyl}$, represents in each case optionally fluorine-, chlorine-substituted $\text{C}_3\text{-C}_6\text{-cycloalkyl}$, represents phenyl, pyridyl, thienyl, pyrimidyl or thiazolyl, each of which is optionally mono- to trisubstituted by fluorine, chlorine, bromine, $\text{C}_1\text{-C}_6\text{-alkyl}$, $\text{C}_1\text{-C}_6\text{-alkoxy}$, $\text{C}_1\text{-C}_4\text{-haloalkyl}$, $\text{C}_1\text{-C}_4\text{-haloalkoxy}$, cyano or nitro,
- 20 or represents a group
- $\text{M}^2\text{-R}^6$
- 25 in which
- M^2 represents $-\text{O}-$ or $-\text{S(O)}_m^-$ and
- Re^6 represents in each case optionally fluorine- and/or chlorine-substituted $\text{C}_1\text{-C}_8\text{-alkyl}$, $\text{C}_2\text{-C}_8\text{-alkenyl}$, $\text{C}_3\text{-C}_6\text{-alkynyl}$ or $\text{C}_3\text{-C}_6\text{-cycloalkyl}$, represents phenyl, pyridyl, pyrimidyl or thiazolyl, each of which is optionally mono- to trisubstituted

by fluorine, chlorine, bromine, C₁-C₆-alkyl, C₁-C₆-alkoxy, C₁-C₄-haloalkyl, C₁-C₄-haloalkoxy, cyano or nitro,


L¹ and L³

or

- 5 L² and L³ together form an in each case optionally fluorine- and/or C₁-C₂-alkyl-substituted five- or six-membered ring which may optionally be interrupted by one or two oxygen atoms.

3. Compositions according to Claim 1, comprising compounds of the formula (II), in which
K represents chlorine, bromine or iodine,

- 10 Re¹, Re² and Re³ each independently of one another represent hydrogen or represent a group of the formula



in which

M¹ represents C₁-C₈-alkylene, C₃-C₆-alkenylene or C₃-C₆-alkynylene,

- 15 Q represents hydrogen, fluorine, chlorine, cyano, trifluoromethyl, C₃-C₆-cycloalkyl or represents a group



in which

T represents -O- or -S(O)_m-,

- 20 Re⁴ represents hydrogen, represents C₁-C₆-alkyl, C₃-C₆-alkenyl, C₃-C₆-alkynyl or C₃-C₆-cycloalkyl, each of which is optionally mono- to trisubstituted by fluorine and/or chlorine,


k represents the numbers 1 to 3,

m represents the numbers 0 to 2,

- 25 L¹ and L³ independently of one another represent hydrogen, fluorine, chlorine, bromine, iodine, cyano, C₁-C₄-alkyl, C₁-C₂-haloalkyl, C₁-C₄-alkoxy, C₁-C₂-

haloalkoxy, represent phenyl or phenoxy, each of which is optionally mono- or disubstituted by fluorine, chlorine, bromine, C₁-C₄-alkyl, C₁-C₄-alkoxy, C₁-C₂-haloalkyl, C₁-C₂-haloalkoxy, cyano or nitro,

5 L² represents hydrogen, fluorine, chlorine, bromine, iodine, cyano, represents C₁-C₆-alkyl, C₂-C₆-alkenyl, C₂-C₆-alkynyl, C₃-C₆-cycloalkyl, each of which is optionally mono- to tridecasubstituted by fluorine and/or chlorine, or represents a group



in which

10 M² represents -O- or -S(O)_m-,

and

15 Re⁶ represents C₁-C₆-alkyl, C₂-C₆-alkenyl, C₂-C₆-alkynyl or C₃-C₆-cycloalkyl, each of which is optionally mono- to tridecasubstituted by fluorine and/or chlorine, represents phenyl or pyridyl, each of which is optionally mono- or disubstituted by fluorine, chlorine, bromine, C₁-C₄-alkyl, C₁-C₄-alkoxy, trifluoromethyl, difluoromethoxy, trifluoromethoxy, cyano or nitro.

4. Compositions according to Claim 1, comprising compounds of the formula (II), in which

K represents iodine,

Re¹ and Re² represent hydrogen,

20 Re³ represents a group of the formula



in which

M¹ represents -CHCH₃-CH₂-, -C(CH₃)₂-CH₂-, -CHC₂H₅-CH₂-,
 $\begin{array}{c} \text{---C---CH}_2\text{---} \\ \diagup \quad \diagdown \\ \text{H}_3\text{C} \quad \text{C}_2\text{H}_5 \end{array}$, -C(C₂H₅)₂-CH₂-,

25 Q represents hydrogen, fluorine, chlorine, cyano, trifluoromethyl, C₃-C₆-cycloalkyl or represents a group

$$T-Re^4,$$

in which

T represents $-S-$, $-SO-$ or $-SO_2-$,

5 Re^4 represents methyl, ethyl, n-propyl, isopropyl, n-butyl, isobutyl, sec-butyl or tert-butyl, allyl, butenyl or isoprenyl, each of which is optionally mono- to trisubstituted by fluorine and/or chlorine,

L^1 and L^3 independently of one another represent hydrogen, fluorine, chlorine, bromine, iodine, cyano, methyl, ethyl, n-propyl, isopropyl, tert-butyl, methoxy, ethoxy, trifluormethyl, difluoromethoxy or trifluoromethoxy,

10 L^2 represents hydrogen, fluorine, chlorine, bromine, iodine, cyano, represents methyl, ethyl, n-propyl, isopropyl, n-butyl, isobutyl, sec-butyl, tert-butyl, allyl, butenyl or isoprenyl, each of which is optionally mono- to nonasubstituted by fluorine and/or chlorine, or represents a group


$$M^2-Re^6,$$

15 M^2 represents oxygen or sulphur,

and

20 Re^6 represents methyl, ethyl, n-propyl, isopropyl, n-butyl, isobutyl, sec-butyl, tert-butyl, allyl, butenyl or isoprenyl, each of which is optionally mono- to nonasubstituted by fluorine and/or chlorine, represents phenyl which is optionally mono- or disubstituted by fluorine, chlorine, bromine, methyl, ethyl, methoxy, trifluoromethyl, difluoromethoxy, trifluoromethoxy, cyano or nitro.

5. Compositions according to Claim 1, comprising the compound of the formula (II-1)



6. Compositions according to Claim 1, comprising compounds of the formula (I) in which

X represents C₁-C₄-alkyl, bromine, C₁-C₄-alkoxy or C₁-C₃-haloalkyl,

Y represents hydrogen, C₁-C₄-alkyl, fluorine, chlorine, bromine, C₁-C₄-alkoxy, C₁-C₃-haloalkyl,

5 Z represents C₁-C₄-alkyl, chlorine, bromine, C₁-C₄-alkoxy,

n represents a number from 0 to 2,


10 A represents hydrogen or represents C₁-C₆-alkyl, C₂-C₆-alkenyl, C₁-C₄-alkoxy-C₁-C₂-alkyl, cycloalkyl having 3 to 8 ring atoms which may optionally be interrupted by oxygen and/or sulphur, each of which radicals is optionally mono- to trisubstituted by fluorine, or represents phenyl or benzyl, each of which is optionally mono- or disubstituted by fluorine, chlorine, bromine, C₁-C₂-alkyl, C₁-C₂-haloalkyl, C₁-C₂-alkoxy, C₁-C₂-haloalkoxy, nitro,

B represents hydrogen, C₁-C₂-alkyl or C₁-C₂-alkoxy-C₁-C₂-alkyl

or in which

15 A and B together with the carbon atom to which they are attached form a saturated or unsaturated 3- to 7-membered ring which is optionally interrupted by oxygen and/or sulphur and is optionally mono- or disubstituted by fluorine, chlorine, C₁-C₄-alkyl, C₁-C₄-alkoxy, C₁-C₂-haloalkyl, C₁-C₂-haloalkoxy or C₁-C₂-alkylthio,

G represents hydrogen (a) or represents the groups



20

in which

R¹ represents C₁-C₁₆-alkyl, C₂-C₁₆-alkenyl, C₁-C₄-alkoxy-C₁-C₄-alkyl, C₁-C₄-alkylthio-C₁-C₄-alkyl or cycloalkyl having 3 to 6 ring atoms which may be

- interrupted by oxygen and/or sulphur atoms, each of which radicals is optionally mono- to pentasubstituted by fluorine or chlorine,
- represents phenyl which is optionally mono- or disubstituted by fluorine, chlorine, bromine, nitro, C₁-C₄-alkyl, C₁-C₄-alkoxy, C₁-C₄-haloalkyl, C₁-C₄-halogenalkoxy,
- represents benzyl which is optionally mono- or disubstituted by fluorine, chlorine, bromine, C₁-C₄-alkyl, C₁-C₄-alkoxy, C₁-C₄-haloalkyl, C₁-C₄-haloalkoxy,
- represents pyridyl, pyrimidyl, thiazolyl or pyrazolyl, each of which is optionally mono- or disubstituted by chlorine, bromine and/or C₁-C₄-alkyl,
- R² represents C₁-C₂₀-alkyl, C₂-C₂₀-alkenyl, C₁-C₆-alkoxy-C₂-C₆-alkyl, C₁-C₆-polyalkoxy-C₂-C₆-alkyl, each of which is optionally mono- to pentasubstituted by fluorine or chlorine,
- represents phenyl or benzyl, each of which is optionally mono- or disubstituted by fluorine, chlorine, bromine, nitro, C₁-C₆-alkyl, C₁-C₆-alkoxy, C₁-C₄-haloalkyl,
- R³ represents C₁-C₄-alkyl which is optionally mono- to pentasubstituted by fluorine or chlorine, represents phenyl or benzyl, each of which is optionally mono- or disubstituted by C₁-C₄-alkyl, fluorine, chlorine, bromine, C₁-C₄-haloalkyl, C₁-C₄-alkoxy, C₁-C₄-haloalkoxy, nitro or cyano,
- R⁴ and R⁵ independently of one another represent C₁-C₄-alkyl, C₁-C₄-alkoxy, C₁-C₄-alkylamino, di-(C₁-C₄)-alkylamino, C₁-C₄-alkylthio, C₂-C₄-alkenylthio, C₃-C₆-cycloalkylthio, each of which is optionally mono- to trisubstituted by fluorine or chlorine, represent phenyl, phenoxy or phenylthio, each of which is optionally mono- or disubstituted by fluorine, chlorine, bromine, nitro, cyano, C₁-C₂-alkoxy, C₁-C₂-haloalkoxy, C₁-C₂-alkylthio, C₁-C₂-haloalkylthio, C₁-C₂-alkyl, C₁-C₂-haloalkyl,
- R⁶ and R⁷ independently of one another represent C₁-C₆-alkyl, C₁-C₆-alkoxy, C₃-C₆-alkenyl, C₁-C₄-alkoxy-C₁-C₂-alkyl, each of which is optionally mono- to trisubstituted by fluorine or chlorine, represent benzyl which is optionally mono- or disubstituted by fluorine, chlorine, bromine, C₁-C₂-haloalkyl, C₁-C₄-alkyl or C₁-C₄-alkoxy or together represent a 5- or

6-membered ring which is optionally interrupted by oxygen or sulphur and which may optionally be substituted by C₁-C₂-alkyl.

7. Compositions according to Claim 1, comprising compounds of the formula (I),

in which

5 X represents C₁-C₄-alkyl, C₁-C₄-alkoxy or trifluoromethyl,

Y represents hydrogen, C₁-C₄-alkyl, chlorine, bromine, C₁-C₄-alkoxy, C₁-C₂-haloalkyl,

Z represents C₁-C₄-alkyl, chlorine, bromine, C₁-C₄-alkoxy,

n represents 0 or 1,

10 A and B together with the carbon atom to which they are attached form a saturated 5- or 6-membered ring which is optionally monosubstituted by C₁-C₄-alkyl or C₁-C₄-alkoxy,

G represents hydrogen (a) or represents the groups



15 in which

R¹ represents C₁-C₁₂-alkyl, C₂-C₁₂-alkenyl, C₁-C₄-alkoxy-C₁-C₂-alkyl or cycloalkyl having 3 to 6 ring atoms which may be interrupted by 1 or 2 oxygen atoms, each of which radicals is optionally mono- to trisubstituted by fluorine or chlorine,

20 or represents phenyl which is optionally monosubstituted by fluorine, chlorine, bromine, nitro, C₁-C₄-alkyl, C₁-C₄-alkoxy, trifluoromethyl or trifluoromethoxy;

R² represents C₁-C₁₂-alkyl, C₂-C₁₂-alkenyl, C₁-C₄-alkoxy-C₂-C₄-alkyl,

represents phenyl or benzyl, each of which is optionally monosubstituted by fluorine, chlorine, bromine, nitro, C₁-C₄-alkyl, C₁-C₄-alkoxy or trifluoromethyl.

8. Compositions according to Claim 1, comprising compounds of the formula (I)

25 in which

X represents methyl, ethyl, methoxy, ethoxy or trifluoromethyl,


Y represents hydrogen, methyl, ethyl, chlorine, bromine, methoxy or trifluoromethyl,

Z represents methyl, ethyl, chlorine, bromine or methoxy,

5 n represents 0 or 1,

A and B together with the carbon atom to which they are attached form a saturated 5- or 6-membered ring which is optionally monosubstituted by methyl, ethyl, propyl, methoxy, ethoxy, propoxy, butoxy or isobutoxy,

G represents hydrogen (a) or represents the groups



in which


R^1 represents C_1 - C_8 -alkyl, C_2 - C_8 -alkenyl, C_1 - C_3 -alkoxy- C_1 - C_2 -alkyl or cycloalkyl having 3 to 6 ring atoms which may be interrupted by 1 or 2 oxygen atoms, each of which radicals are optionally mono- to trisubstituted by fluorine or chlorine,

15 represents phenyl which is optionally monosubstituted by fluorine, chlorine, bromine, methyl, methoxy, trifluoromethyl or trifluoromethoxy;

R^2 represents C_1 - C_8 -alkyl, C_2 - C_8 -alkenyl, C_1 - C_4 -alkoxy- C_2 - C_3 -alkyl,

represents phenyl or benzyl, each of which is optionally monosubstituted by fluorine, chlorine, bromine, nitro, methyl, methoxy or trifluoromethyl.

20 9. Compositions according to Claim 1, comprising the compound of the formula (I-b-1)



10. Compositions according to Claim 1, comprising the compounds of the formulae (I-b-1) and (II-1).
11. The use of mixtures as defined in Claim 1 for controlling animal pests.
- 5 12. A method for controlling animal pests, characterized in that mixtures as defined in Claim 1 are allowed to act on animal pests and/or their habitat.
13. A process for preparing insecticidal and acaridical compositions, characterized in that mixtures as defined in Claim 1 are mixed with extenders and/or surfactants.